



SAFETY SWIMMING POOL COVERS

Protect your family with the only mesh pool cover that passed the elephant test.





LOOP-LOC® puts an unbreakable "lock" on your pool to protect your family. And only LOOP-LOC is available with the patented CABLE-LOC™ and GAPGUARD® Child Safety Intrusion Barriers. They close the dangerous gaps created where raised obstructions meet the cover's edge, so there's no way a child or pet can slip through.



LOOP-LOC's exclusive Computer Aided Design **ensures a perfect, custom fit for any shape or size pool:** from a simple square to the most complex installation, LOOP-LOC can manufacture a custom cover with the perfect fit for any pool or spa.




LOOP-LOC always stays tight, clean and beautiful on your pool – unlike a saggy, unsightly waterbag cover that becomes a dangerous, slippery swamp after just a few rains. LOOP-LOC's super dense mesh allows rain to drain through. The cover stays dry and beautiful in any weather!



Unlike solid waterbag covers, a **LOOP-LOC requires no pumping, scrubbing or heavy maintenance.** Plus, it's easy to install and remove with LOOP-LOC's unique anchoring system.







ULTRA-LOC®

Patent Pending ULTRA-LOC II[®] Solid Safety Cover Is Tougher than Tough, Stronger than Strong!

You no longer have to choose between the light weight of a mesh pool cover and the light-blocking benefits of a solid cover.

Revolutionary ULTRA-LOC II gives you the best of both worlds!

0% VINYL 100%

RECYCLABLE
ULTRA-STRONG
MATERIAL

15 YEAR PRORATED WARRANTY

Drains super-fast with optional mesh drainage panels

Cover without panels blocks 100% of sunlight and comes with automatic pump, which must be used at all times to meet ASTM safety cover standards.

Superior "bounce back" eliminates ugly pockets of water and debris



Manual Safety Cover in accordance with ASTM Standard F 1346-91 LOOP-LOC Covers not only meet, but exceed ASTM standards for Safety Swimming Pools Covers F 1346-91. And to show our commitment and dedication to the safety and security of your children and pets, all LOOP-LOC covers have undergone extensive outside testing through Underwriters Laboratories (U.L.) and have earned the U.L. seal of approval for safety swimming pool covers




COMMERCIAL COVERS

LOOP-LOC Keeps Your Facility Safe and Saves You Money.

In the off season, an empty, unsupervised commercial pool can be an invitation for disaster. Locked gates or fences alone have often proved ineffective in preventing children and pets from gaining access to the pool area.





- Extend the life of your pool by reducing the need for repainting or replastering.
- Have the potential to lower your liability insurance premium.
- Help the environment. Keeping the pool filled means you don't have to worry about water, an environmental hazard that many states are in the process of regulating.



MINIMUM SPECIFICATIONS

For Commercial Installations To Meet ASTM Standard F1346-91

MATERIAL: Polypropylene-extruded monofilament yarn. 525 denier in the warp and 595 denier in fill. 41 x 20 construction plus 80% minimum black yarn and 20% minimum green yarn for best U.V. stability. Burst strength of material is 650 P.S.I.

WEBBING: 1" wide polypropylene, polyester with nylon filler. Minimum break strength 2,000 pounds single. To be used double-thick for minimum strap break-strength of 4,200 pounds. Minimum 90% black yarn. (Cotton, wool or other natural fibers treated or untreated are unacceptable for safety cover use).

CHAFING STRIPS: (Under cover) 1" minimum width, 20" to 36" long (depending on cover overlap) extruded solid, virgin vinyl 3/16" thick. All inside corners heavily padded.

SAFETY BARRIER/GAP-GUARD:

Solid, virgin vinyl 3" extrusion for raised walls, etc., and 15" extrusion for raised steps as needed to meet (or exceed) ASTM Safety Standard F1346-91. LOOP-LOC Patent No. 4,982,457.

THREAD: Dabond polyester Veemo - UVR. Size 138. Three rows of stitching all directions.

SPRINGS: 302/304 stainless steel, two draw-bar compression type with thick vinyl tubular deck-protective covers.Break strength 3,200 pounds.

ANCHORS: Brass, flush-mounted in deck with screw-type insert. 4,000 pound break strength at neck.

INSTALLATION TOOLS: 30" long steel rod, with notched end and plastic grip.

FINISHED COVER: To have sections approximately 3' x 3'. (For residential rectanglular pools only, cover may be made with approximately 5' x 5' sections.) All straps to be "X"-tacked at cover edge with stainless steel buckles and aluminum tips.

WARRANTY: Safety cover will have a 15 year prorated warranty.

ON-GROUND POOL COVERS

Superior Safety, Strength and Protection.

Owners of on-ground pools (surrounded by at least 2 feet of deck*) can enjoy the same safety, strength and protection owners of in-ground pools have enjoyed for years with a LOOP-LOC On-Ground safety cover.



PATENTED BRACKET FITS MANY DECKS

BUILT SUPER STRONG TO PROTECT CHILDREN & PETS

The Only On-Ground Pool Cover Good Enough To Be LOOP-LOC

Mesh lets rain pass through, so no hazardous standing water collects on top.

- Non-corrosive type 302 stainless steel springs & doublenotched aluminum tips.
- Durable double-thick solid polypropylene webbing straps surround entire perimeter, not just corners.
- Easy to maintain. Mesh fabric requires no scrubbing and powdering when you remove it.

